

THE DENTAL ADVISOR

"Improving Patient Care Through Research & Education"

HurriSeal + + + +

Beutlich Pharmaceuticals
800.238.8542 • 847.473.110
www.beutlich.com

Description

HurriSeal is an aqueous solution of benzalkonium chloride, HEMA and sodium fluoride supplied in a 12-ml plastic dropper bottle. Generally, it is applied to clean dentin with a cotton pellet. One to three, 20-second applications are recommended to treat sensitivity before and after scaling and tooth bleaching, and under veneers, inlays/onlays, crowns, amalgams, and composite resins. If a bonding system is used, *HurriSeal* should be applied after etching and before priming. Seventeen consultants used *HurriSeal* in over 500 clinical applications. *HurriSeal* is a highly recommended dentin desensitizing agent. It received an 88% clinical rating.

Suggested Retail Cost
• \$ 46.59/12-ml bottle

Product Features

HurriSeal proved to be very easy for dentists and hygienists to integrate into their daily routine.



Consultants' Comments

- ◆ "I place it after all crown preps."
- ◆ "I feel dentin desensitization is vital to successful and predictable restorative dentistry."

Many stated that applying a desensitizing agent before restoration has become routine. *HurriSeal* is quick and easy to apply with either a cotton pellet or applicator. Since the solution contains no glutaraldehyde, sloughing of the gingival tissue is reduced. Consultants noted that *HurriSeal* is effective with one application under a restoration, and two to three applications on exposed root surfaces. Ninety-three percent of consultants would purchase and recommend *HurriSeal*.

Clinical Tips

- Isolate the tooth with cotton rolls and matrix band (if applicable) to avoid bitter tasting solution from dripping onto tongue.
- After application, air dry but do not desiccate.
- *HurriSeal* is useful as a wetting agent before bonding. ■

About Beutlich Pharmaceuticals



Beutlich® LP, Pharmaceuticals offers unique solutions for pain management and preventative care with products such as HurriCaine® Topical Anesthetics, HurriPAK™ Periodontal Anesthetic Kit, HurriSeal® Dentin Desensitizer, HurriView® Plaque Indicating Snap -n- Go™ Swabs and HurriView II® Two-Tone Plaque Indicating Snap -n- Go™ Swabs.

REPRINT

EDITORS

John W. Farah, D.D.S., Ph.D.
John M. Powers, Ph.D.

ASSOCIATE EDITORS

William A. Gregory, D.D.S., M.S.
Peter Yaman, D.D.S., M.S.
Lori K. Brown, D.D.S.
Santina E. Anderson, D.D.S.
Charles I. McLaren, D.D.S., M.S.

ASSISTANT EDITORS

Merr Akso, D.D.S., J.D., M.H.S.A.
Mark T. Waranowicz, D.D.S., M.S.
William T. Stevenson, D.D.S.
Robert Stevenson, D.D.S.
Nizar Mansour, D.D.S.
Sabiba S. Bunek, D.D.S.
Kathy L. O'Keefe, D.D.S., M.S.
Brent Kolb, D.D.S.
David Traynor, D.D.S.

ADVISORY BOARD

John O. Burgess, D.D.S., M.S.
Karl F. Leinfelder, D.D.S., M.S.
John A. Molinari, Ph.D.
Frederick A. Rueggeberg, D.D.S., M.S.
Edward J. Swift, Jr., D.M.D., M.S.
Charles W. Wakefield, D.D.S.

EXECUTIVE TEAM

Stephanie D. Farquhar, B.S.
Annette M. Frederick
Jennifer Kalasz
Jennifer B. Lill, M.A.Ed.
Tony Malmsten
Tricia G. Price
Rhonda L. Tucker
Mary E. Yakas, B.A., CMC
Ron Yapp, M.S.

GRAPHIC DESIGN

Pari Karani, B.S., M.S.

PUBLISHER

Dental Consultants, Inc.

Please send inquiries and address changes to: **THE DENTAL ADVISOR**
3110 West Liberty, Ann Arbor, MI 48103
Call: 800.347.1330 • 734.665.2020
Fax: 734.665.1648
E-mail: info@dentaladvisor.com
Web Site: www.dentaladvisor.com

No unauthorized duplication or reprints may be made. Inquiries concerning duplication may be directed to the publisher.

Copyright © 2008, Dental Consultants, Inc.
All rights reserved. Printed in the U.S.A.
(ISSN 0748-6666) by Print-Tech, Inc.

Ratings

Excellent	+++++
Very Good	++++
Good	+++